



368G ENDURO

GO BEYOND THE EXPECTED

Urban agility meets untamed spirit. The 368G ENDURO is ready for the everyday commute and the next weekend escape.



368 cc

DISPLACEMENT

38.8 HP

MAX POWER

17.5 L

FUEL CAPACITY

ADVENTURE IS AN ATTITUDE.

A commanding adventure-scooter stance, versatile engineering and advanced connectivity bring a fresh perspective to everyday exploration.

BUILT FOR THE JOURNEY



40 Nm

PEAK TORQUE

8-inch

TFT DISPLAY

2

RIDING MODES

POWER FOR THE LONG WAY.

The liquid-cooled, single-cylinder 368 cc engine combines strong mid-range response with seamless CVT delivery and electronic throttle control.

SMOOTH. CAPABLE. READY.



38.8 HP

@ 7,500 RPM

40 Nm

@ 6,000 RPM

11.8:1

COMPRESSION

MADE FOR MORE ROADS.

A purpose-built stance with spoke-style wheels, substantial ground clearance and touring protection encourages confident exploration.



01

ADVENTURE WHEELS

17-inch front / 14-inch rear; spoked-wheel design.

02

GROUND CLEARANCE

180 mm high-seat / 155 mm low-seat versions.

03

READY TO TOUR

Stainless-steel protective bars and a touring screen.

INTELLIGENCE IN MOTION.

8"

TFT COLOUR DASH

Four interfaces and smartphone-linked navigation.

APP

SMART CONNECTIVITY

ZONTES app and keyless control system.

F/R

DUAL DASH CAMS

Integrated front and rear riding recorders.

TPMS

TYRE MONITORING

Tyre-pressure status available on the display.

ETC

ELECTRONIC THROTTLE

Bosch electronic throttle and EFI control.

USB

RIDER CONVENIENCE

Dual fast-charge USB ports for your devices.

GO FAR. RIDE IN COMFORT.

Thoughtful touring essentials help reduce fatigue and improve the riding experience through changing weather and longer distances.

**01****ADJUSTABLE WINDSCREEN**

Five-position adjustable windscreen.

02**HEATED RIDER FEATURES**

Heated grips and heated seats on listed configuration.

03**TOUR / SPORT MODES**

Two selectable riding personalities.

04**PRACTICAL STORAGE**

Underseat storage for essential gear.

BUILT TO INSPIRE CONTROL.

From its dual-channel ABS to traction management and adjustable suspension, the 368G is engineered for a composed ride.

DUAL-CHANNEL ABS

Brake control at both wheels.

TRACTION CONTROL

Electronic assistance for changing grip.

ADJUSTABLE SUSPENSION

Front USD fork and rear shocks tuned for mixed use.



EVERY ANGLE. A PURPOSE.



LEFT PROFILE



REAR VIEW



RIGHT PROFILE



THREE-QUARTER

THE NUMBERS BEHIND THE RIDE.

Manufacturer technical data for the ZONTES 368G model. Specifications depend on the exact market version and equipment.

ENGINE & FUEL	
Engine type	1 cyl. / SOHC
Displacement	368 cc
Bore x stroke	79 x 75 mm
Compression ratio	11.8 : 1
Cooling	Liquid / water
Fuel injection	BOSCH EFI
Throttle	ETC
Ignition	Electronic

OUTPUT & TRANSMISSION	
Max. power	38.8 HP / 7,500 rpm
Max. torque	40 Nm / 6,000 rpm
Transmission	Automatic CVT
Recommended fuel	95 RON +
Idle speed	1,600 ± 100 rpm
Fuel consumption	3.5 L / 100 km
Fuel tank	17.5 L
Engine casing	Aluminium alloy

*Economical fuel-consumption figure quoted by the manufacturer.

ENGINEERED FOR THE JOURNEY.

Chassis, dimensions and braking data are based on the official ZONTES 368G technical table.

CHASSIS & DIMENSIONS	
Length x width x height	2230 x 925 x 1370 mm
Wheelbase	1,560 mm
Listed gross mass	192 kg
Seat height - high	795 mm
Seat height - low	770 mm
Ground clearance - high	180 mm
Ground clearance - low	155 mm
Frame	Steel tube

WHEELS & BRAKES	
Front tyre	110/70-17
Rear tyre	150/70-14
Front rim	MT 3.0 x 17
Rear rim	MT 4.25 x 14
Front brake	Disc
Rear brake	Disc
Anti-lock braking	Dual-channel ABS
Lighting	Full LED

High / low specifications refer to factory seat-height versions.

DESIGNED TO TAKE YOU FURTHER.

Striking looks meet purposeful details: commanding front styling, protective bodywork and a composed rear silhouette.



THE OPEN ROAD



DISTINCTIVE DESIGN



BUILT TO EXPLORE



368G

ENDURO

ADVENTURE STARTS HERE.



VISIT THE SHOWROOM

GAZMIN MOTORS

Al Ramool Oasis Bldg., Showroom No. 2

Umm Ramool, Dubai, UAE

04 393 9450

WWW.ZONTES.AE

Motorcycle configuration, accessories and availability may vary by market. Please confirm locally.